
# 2012 Grower Meetings: Diversity and Integration; Keys to Surviving in a Palmer World



# Diversity and Integration: Keys to Surviving in a Palmer World



Preplant	PRE	POST1	POST 2	Layby
Valor No Palmer up  Valor + Direx	Reflex + Direx  add paraquat  Reflex + Prowl	RU + Staple <b>O</b> R	RU + Dual or Warrant	Direx + MSMA
Palmer up, >15 d to plant	add paraquat	RU + Dual		
Direx Palmer up, <15 d to plant	Reflex + Prowl add paraquat	or Warrant		

Preplant	PRE	POST1	POST 2	Layby
Valor No Palmer up	Reflex + Direx  add paraquat	RU + Staple	RU + Dual or	Direx +
Valor + Direx Palmer up, >15 d to plant	Reflex + Prowl add paraquat	or RU + Dual	Warrant	MSMA
Direx Palmer up, <15 d to plant	Reflex + Prowl add paraquat	or Warrant		

APPLY VALOR AND/OR DIREX TO EVERY ACRE; MUST BE PALMER FREE AT PLANTING!!!

#### Valor applied broadcast followed by strip till.



Preplant	PRE	POST1	POST 2	Layby		
Valor No Palmer up	Reflex + Direx add paraquat	RU +	RU+	Direx		
Valor + Direx Palmer up, >15 d to plant	Reflex + Prowl add paraquat	or OR RU + Dual or Warrant	OR Warra	Warrant		+ MSMA
Direx Palmer up, <15 d to plant	Reflex + Prowl add paraquat					


			Layby
Reflex + Direx	RU + Staple	DII ı	Direx
Reflex + Prowl	OR	Dual or Warrant	+ MSMA
Reflex + Prowl	RU + Dual or Warrant		101017
	Reflex + Prowl	Reflex + Direx Staple  Reflex + Prowl  Reflex + Prowl  Reflex + Prowl  RU + Dual	Staple  Reflex + Direx  Staple  RU +  Dual or  Warrant  Reflex + Prowl  Reflex + Prowl  Reflex + Prowl  RU + Dual

RU + Staple wins 7 out of 10 times!

Preplant	PRE	POST1	POST 2	Layby
Valor	Reflex + Direx	RU + Staple	RU +	Direx
Valor + Direx	Reflex + Prowl	OR	Dual or Warrant	+ MSMA
Direx	Reflex + Prowl	RU + Dual or Warrant		TVICIVI, V

Consider direct spraying Warrant mixture if more than 6 leaf cotton!

# Roundup + Warrant applied over AGGRESSIVELY growing LARGE cotton.



Preplant	PRE	POST1	POST 2	Layby
Valor	Reflex + Direx	RU + Staple	RU +	Direx
Valor + Direx	Reflex + Prowl	OR	Dual or Warrant	+ MSMA
Direx	Reflex + Prowl	RU + Dual or Warrant		101017

No brainer.....Suprend great option as well!


Preplant	PRE	POST1	POST 2	Layby
Valor	Reflex + Direx	RU + Staple	RU +	Direx
Valor + Direx	Reflex + Prowl	or RU + Dual	Dual or Warrant	+ MSMA
Direx	Reflex + Prowl	or Warrant		
add paraquat if Palmer emerged, follow plantback	48 hr within planting; add paraquat	10 - 12 d after PRE (10 day after May 10)	12 - 14 d after POST1 (12 day after May 10)	15-17 d after POST2

Preplant	PRE	POST1	POST 2	Layby
Valor	Reflex + Direx	RU + Staple	Allows 2 residual planting instead reduce injury.	
Valor + Direx	Reflex + Prowl	OR RU + Dual	Perfect timing for application!	or thrips
Direx	Reflex + Prowl	or Warrant	Allows time for activation before PRE breaks down!	
add paraquat if Palmer	48 hr within planting; add paraquat	10 - 12 d after PRE	12 - 14 d after POST1	15-17 d after POST2
emerged, follow plantback		(10 day after May 10)	(12 day after May 10)	

#### Tillage is now a common scene



# Percent Palmer Amaranth Control with Reflex 1 pt/A PPI or PRE in 2010.




#### RR Conventional Tillage Cotton Systems. 2012.

Preplant	PRE	POST1	POST2	Layby
Treflan/Prowl + Reflex 12 oz	Reflex 8-12 oz + Direx	RU + Staple (Palmer up) or RU + Dual or Warrant	RU + Dual or Warrant	Direx + MSMA

Plant as soon after incorporation as possible

# Percent Palmer Control with Reflex + Prowl PPI, 2010. TyTy, GA. 38 DAT.









Irrigated May 13
Planted May 14
Irrigated May 19 during emergence

#### Roundup Ready PLUS Cotton Incentive (Up to \$22)

Valor AND Reflex = (\$3.00)

Cotoran, Cotton Pro, Direx =  $(\$3.00)^*$ 

Warrant 3 pt = (\$4.50)\*

Dual Magnum 1 pt = (\$3.00)

Gramoxone Inteon 2 pt = (\$1.00)

# GR Palmer amaranth control in dryland conservation tillage systems





**Prowl + Reflex PRE** 

Roundup + Dual POST

**Diuron + MSMA PD** 

**Prowl + Reflex PRE** 

**Ignite + Dual POST** 

**Diuron + MSMA PD** 


#### Making the most of your Liberty!

- Ø Water volume
- Ø Spray tip and pressure
- Ø Time of day you spray
- Ø Palmer size



MOST IMPORTANT IS TO HAVE PRESSURE AND NOZZLES THAT GENERALTE MEDIUM (300-400 MICRONS)

# Late-season Palmer control with Liberty as influenced by time of day.



Time of Day for Ignite Applications

Ignite POST 1 (5" Palmer), Ignite POST 2 (18 d later), Diuron + MSMA layby


#### Making the most of your Liberty!



#### Controlling Palmer in LL Cotton. 2012.

PRE	POST1	POST 2	Layby
Diuron + Prowl Cotoran + Prowl	Liberty +	Liberty	Diuron +
Reflex + Prowl Staple + Prowl	Dual Mag		MSMA
48 hr within planting; add paraquat	12 - 14 d after PRE (12 day after May 10)	14 - 16 d after POST1 (14 day after May 10)	15-17 d after POST 2
	Diuron + Prowl Cotoran + Prowl Reflex + Prowl Staple + Prowl  48 hr within planting; add	Diuron + Prowl Cotoran + Prowl  Reflex + Prowl Staple + Prowl  48 hr within planting; add paraquat  12 - 14 d after PRE (12 day after)	Diuron + Prowl Cotoran + Prowl  Reflex + Prowl Staple + Prowl  48 hr within planting; add paraquat  12 - 14 d after PRE (12 day after)  (14 day after)

# Six Inch GR Palmer Response to Layby or Hooded Spray Options. Macon, 2012.




#### **2012 Liberty Based Programs**

1. LibertyLink


2. WideStrike

3. GlyTol LibertyLink

# Percent GlyTol + LL cotton injury from topical applications 7 DAT.




# Percent GlyTol + LL cotton injury from topical applications 7 DAT.





# Six Inch GR Palmer Response to Layby or Hooded Spray Options. Macon, 2012.






# Adopt Integrated Programs Or You Simply Wont Survive Because of Resistance!!!



### 2006-2010: 92% of growers hand-weeded 52% cotton acres at \$23.70/A



# Palmer Seed (#/plant) when Chopping Plants at Cotton Layby.



2010/2011: Sosnoskie/Grey/Webster/Culpepper

#### **Developing Integrated Programs**





#### **Potential Benefits for Georgia Growers**



- 1. Improved Palmer control
- 2. Protect herbicide chemistry
- 3. Labor (compared to tillage)
- 4. Wind and water erosion
- 5. Prevents GR horseweed
- 6. Prevents/Lessons GR ryegrass
- 7. Moisture conservation
- 8. Reduce herbicide inputs
- 9. Higher yields on dryland
- 10. Protection from EPA
- 11. Reduces thrips damage

#### **Potential Challenges for Georgia Growers**




- 1. Blowout impacting stand
- 2. Incorporate herbicides with when strip tilling
- 3. Time to get established
- 4. Increased fertilizer
- 5. Rubber wheel system
- 6. Grower comfort






#### Impact of GR Palmer amaranth on GA.



**Liberty-based Programs** 













#### Herbicide Resistance: Will You Survive?



If resistance is one in a billion then you only need 918 acres to find that plant.

#### Herbicide Resistance: Will You Survive?



1,089,000 plants per acre

DO NOT SPRAY LIBERTY BUT TWICE PER YEAR IN A SOUND PROGRAM!!!

# Controlling Palmer Without Killing Cotton With Herbicides!







#### **AT-PLANT HERBICIDES**

Cotoran

**Diuron** 

**Prowl** 

Reflex

**Staple** 

**Combinations** 

#### Irrigation/Herbicide Scheduling

(preliminary as much more work is being conducted)





Irrigate before planting

DO NOT
irrigate first
36-48 hr??

Irrigate

DO NOT irrigate
24 hr before or
24 hr after
emergence

**Irrigate** 

