

# University of Georgia

EFFICAX WITH VALOR AND FIERCE IN SOYBEANS

Trial ID: SB-05-21      Study Dir.: HUNT SANDERS  
 Location: PONDER FARM      Investigator: Eric P. Prostko

Reps: 4      Plots: 6 by 25 feet  
 Appl. Amount: 15 GAL/AC      Mix Size: 1.5 L (total for 4 plots; minimum=0.782 L)

Trt No.	Treatment Name	Form	Form Conc	Rate	Grow Stg	Appl Code	Amt Product to Measure	Diluent	Rep 1	Rep 2	Rep 3	Rep 4
1	NTC							-	101	207	304	401
2	VALOR EZ2	4 SC		2.02 oz/a	PRE	A	1.578 mL/mx	1498.4 mL	102	205	301	402
3	FIERCE EZ	3.04 SC		6.0 oz/a	PRE	A	4.687 mL/mx	1495.3 mL	103	209	308	409
4	VALOR EZ2 EFFICAX	4 SC		2.0 oz/a 0.833 % v/v	PRE	A	1.562 mL/mx 12.49 mL/mx	1485.9 mL	104	201	307	404
5	FIERCE EZ EFFICAX	3.04 SC		6.0 oz/a 0.833 % v/v	PRE	A	4.687 mL/mx 12.49 mL/mx	1482.8 mL	105	206	302	403
6	VALOR EZ2 EFFICAX	4 SC		2.02 oz/a 0.417 % v/v	PRE	A	1.578 mL/mx 6.254 mL/mx	1492.2 mL	106	202	303	405
7	FIERCE EZ EFFICAX	3.04 SC		6.0 oz/a 0.417 % v/v	PRE	A	4.687 mL/mx 6.254 mL/mx	1489.1 mL	107	203	305	408
8	VALOR EZ2 EFFICAX	4 SC		2.02 oz/a 0.208 % v/v	PRE	A	1.578 mL/mx 3.12 mL/mx	1495.3 mL	108	204	306	407
9	FIERCE EZ EFFICAX	3.04 SC		6.0 oz/a 0.208 % v/v	PRE	A	4.687 mL/mx 3.12 mL/mx	1492.2 mL	109	208	309	406

Sort Order: Treatment

Trial Comments

FIERCE EZ = FLUMIOXAZIN (1.34 LBS/GAL) + PYROXASULFONE (1.7 LBS/GAL)  
 EFFICAX = SOIL RETENTION AGENT (WILBUR-ELLIS)

0.833% V/V = 16 OZ/A  
 0.417% V/V = 8 OZ/A  
 0.208% V/V = 4 OZ/A

**SUMMARY:**

1) VALOR EZ2 AND FIERCE EZ CAUSED SOYBEAN SLIGHT STUNTING AND LEAF MALFORMATIONS. GENERALLY, FIERCE EZ WAS MORE INJURIOUS THAT VALOR EZ2.

2) ALL TREATMENTS PROVIDED EXCELLENT CONTROL OF PALMER AMARANTH (99%).

3) THE ADDITION OF EFFICAX TO EITHER VALOR EZ2 OR FIERCE EZ DID NOT IMPROVE THE CONTROL OF PALMER AMARANTH.

# University of Georgia

EFFICAX WITH VALOR AND FIERCE IN SOYBEANS

Trial ID: SB-05-21      Study Dir.: HUNT SANDERS  
 Location: PONDER FARM      Investigator: Eric P. Prostko

### GENERAL TRIAL INFORMATION

**Study Director:** HUNT SANDERS      **Title:** \_\_\_\_\_  
**Affiliation:** \_\_\_\_\_  
**Postal Code:** \_\_\_\_\_

**Investigator:** Eric P. Prostko      **Title:** \_\_\_\_\_  
**Affiliation:** \_\_\_\_\_  
**Postal Code:** \_\_\_\_\_

### TRIAL LOCATION

**City:** \_\_\_\_\_      **Trial Status:** E  
**State/Prov.:** \_\_\_\_\_      **Trial Reliability:** \_\_\_\_\_  
**Postal Code:** \_\_\_\_\_      **Initiation Date:** \_\_\_\_\_  
**Country:** \_\_\_\_\_      **Planned Completion Date:** \_\_\_\_\_  
**E-Longitude of LL Corner °:** \_\_\_\_\_      **N-Latitude of LL Corner °:** \_\_\_\_\_  
**Altitude of LL Corner:** \_\_\_\_\_      **Unit:** \_\_\_\_\_      **Angle y-axis to North °:** \_\_\_\_\_  
**Directions:** \_\_\_\_\_

### COOPERATOR/LANDOWNER

**Cooperator:** \_\_\_\_\_      **Country:** \_\_\_\_\_  
**Org:** \_\_\_\_\_      **Phone No:** \_\_\_\_\_  
**Address 1:** \_\_\_\_\_      **Fax No:** \_\_\_\_\_  
**Address 2:** \_\_\_\_\_  
**City:** \_\_\_\_\_  
**State/Prov:** \_\_\_\_\_  
**Postal Code:** \_\_\_\_\_

**Conducted Under GLP (Y/N):** N      **Conducted Under GEP (Y/N):** N  
**Guidelines:** \_\_\_\_\_      **Guideline Description:** \_\_\_\_\_

**Objective:**

**Conclusions:**

### CROP AND WEED DESCRIPTION

Weed	Code	Common Name	Scientific Name
1.	AMAPA	PA	LMER AMARANTH
2.	AGRASS	TX	PAN/CRAB/GOOSE/CROW
3.	RAPRA	WI	LD RADISH
4.			

**Crop 1:** GLYMA      SOYBEAN      **Variety:** AG55XFO  
**Planting Date:** May-17-21      **Planting Method:** MONOSEM VACUUM  
**Rate:** 8      SEED/FT      **Depth:** 1.5      IN      **Perennial Age:** \_\_\_\_\_  
**Row Spacing:** 36      IN      **Spacing Within Row:** \_\_\_\_\_      **Seed Bed:** \_\_\_\_\_  
**Soil Temperature:** \_\_\_\_\_      **Soil Moisture:** OPTIMUM      **Emergence Date:** \_\_\_\_\_

### SITE AND DESIGN

**Plot Width, Unit:** 6      FT      **Plot Length, Unit:** 25 FT      **Reps:** 4  
**Site Type:** \_\_\_\_\_  
**Tillage Type:** CONVENTIONAL      **Study Design:** RACOBL

**Trial Initiation Comments:**

	Previous Crops	Previous Pesticides	Year
1.	PEANUT		2020

### MAINTENANCE

**Field Prep./Maintenance:** 300 LBS/A 5-15-30 PREPLANT;

No.	Date	Maintenance Treatment Name	Form Conc	Form Unit	Form Type	Rate	Rate Unit
1.							

# University of Georgia

**EFFICAX WITH VALOR AND FIERCE IN SOYBEANS**

Trial ID: SB-05-21      Study Dir.: HUNT SANDERS  
 Location: PONDER FARM      Investigator: Eric P. Prostko

**SOIL DESCRIPTION**

% Sand: 94    % OM: 0.93    Texture:            SAND  
 % Silt: 4     pH: 6.0       Soil Name:         TIFTON  
 % Clay: 2    CEC: 3.7       Fert. Level:        GOOD

**ADDITIONAL MEASURED ELEMENTS**

Element	Quantity	Unit

**MOISTURE CONDITIONS**

	Date	Time	Amount	Unit	Type	Interval	Unit
1.	May-18-21		0.3	IN	SPRINKLER - LATERAL MOVE		
2.	May-24-21		0.5	IN	SPRINKLER - LATERAL MOVE		
3.	Jun-1-21		0.5	IN	SPRINKLER - LATERAL MOVE		
4.	Jun-4-21		0.45	IN	SPRINKLER - LATERAL MOVE		
5.	Jun-4-21		0.6	IN	RAINFALL		
6.	Jun-6-21		0.4	IN	RAINFALL		
7.	Jun-7-21		1.25	IN	RAINFALL		
8.	Jun-8-21		0.15	IN	RAINFALL		
9.	Jun-11-21		0.3	IN	RAINFALL		
10.	Jun-15-21		0.3	IN	RAINFALL		
11.	Jun-17-21		0.45	IN	SPRINKLER - LATERAL MOVE		
12.	Jun-20-21		1.0	IN	RAINFALL		
13.	Jun-21-21		2.4	IN	RAINFALL		

Overall Moisture Conditions: \_\_\_\_\_  
 Closest Weather Station: \_\_\_\_\_ Distance: \_\_\_\_\_ Unit: \_\_\_\_\_

**APPLICATION DESCRIPTION**

	A
Application Date:	May-18-21
Time of Day:	6:30 AM
Application Method:	BROADCAST
Application Timing:	PRE
Applic. Placement:	SOIL
Air Temp., Unit:	63 F
% Relative Humidity:	95
Wind Velocity, Unit:	0 MPH
Dew Presence (Y/N):	Y
Water Hardness:	--
Soil Temp., Unit:	70 F
Soil Moisture:	OPTIMUM
% Cloud Cover:	0

**CROP STAGE AT EACH APPLICATION**

	A
Crop 1 Code, Stage:	GLYMA,
Stage Scale:	
Height, Unit:	,

# University of Georgia

EFFICAX WITH VALOR AND FIERCE IN SOYBEANS

Trial ID: SB-05-21      Study Dir.: HUNT SANDERS  
 Location: PONDER FARM      Investigator: Eric P. Prostko

**WEED STAGE AT EACH APPLICATION**

	<b>A</b>
<b>Weed 1 Code, Stage:</b>	AMAPA,
<b>Stage Scale:</b>	
<b>Density, Unit:</b>	
<b>Weed 2 Code, Stage:</b>	AGRAS,
<b>Stage Scale:</b>	
<b>Density, Unit:</b>	
<b>Weed 3 Code, Stage:</b>	RAPRA,
<b>Stage Scale:</b>	
<b>Density, Unit:</b>	
<b>Weed 4 Code, Stage:</b>	,
<b>Stage Scale:</b>	
<b>Density, Unit:</b>	

**APPLICATION EQUIPMENT**

	<b>A</b>
<b>Appl. Equipment:</b>	BACKPACK
<b>Operating Pressure:</b>	36
<b>Nozzle Type:</b>	AIXR
<b>Nozzle Size:</b>	11002
<b>Nozzle Spacing, Unit:</b>	20 IN
<b>Nozzles/Row:</b>	
<b>Band Width, Unit:</b>	
<b>Boom Length, Unit:</b>	60 IN
<b>Boom Height, Unit:</b>	20 IN
<b>Ground Speed, Unit:</b>	3.5 MPH
<b>Incorporation Equip.:</b>	
<b>Hours to Incorp.:</b>	
<b>Incorp. Depth, Unit:</b>	
<b>Carrier:</b>	WATER
<b>Spray Volume, Unit:</b>	15 GPA
<b>Spray pH:</b>	
<b>Propellant:</b>	CO2
<b>Tank Mix (Y/N):</b>	

Trt No	Treatment Application Comment

# University of Georgia

EFFICAX WITH VALOR AND FIERCE IN SOYBEANS

Trial ID: SB-05-21      Study Dir.: HUNT SANDERS  
 Location: PONDER FARM      Investigator: Eric P. Prostko

Weed Code	----- Glyma		----- Amapa		----- Glyma		----- Amapa							
Crop Code	----- Glyma		----- Glyma		----- Glyma		----- Amapa							
Part Rated	----- Glyma		----- Glyma		----- Glyma		----- Amapa							
Rating Data Type	Stunt %		Control %		Stunt %		Control %							
Rating Unit	Jun-1-21		Jun-1-21		Jun-9-21		Jun-23-21							
Rating Date	14 DA-A		14 DA-A		22 DA-A		36 DA-A							
Trt-Eval Interval	14 DA-A		14 DA-A		22 DA-A		36 DA-A							
Trt No.	Treatment Name	Form Conc	Form Type	Rate	Grow Unit	Appl Stg	Code	1	2	3	4	5	6	7
1	NTC							0.0 a	0.0 b	0.0 c	0.0 e	0.0 b	0.0 a	0.0 b
2	VALOR EZ2	4	SC	2.02 oz/a	PRE	A		0.0 a	99.0 a	6.3 ab	1.3 de	99.0 a	0.0 a	99.0 a
3	FIERCE EZ	3.04	SC	6.0 oz/a	PRE	A		3.3 a	99.0 a	6.7 ab	5.0 bc	99.0 a	0.0 a	99.0 a
4	VALOR EZ2 EFFICAX	4	SC	2.0 oz/a 0.833 % v/v	PRE PRE	A A		0.0 a	99.0 a	5.0 b	3.8 cd	99.0 a	0.0 a	99.0 a
5	FIERCE EZ EFFICAX	3.04	SC	6.0 oz/a 0.833 % v/v	PRE PRE	A A		5.0 a	99.0 a	8.8 a	7.5 b	99.0 a	0.0 a	99.0 a
6	VALOR EZ2 EFFICAX	4	SC	2.02 oz/a 0.417 % v/v	PRE PRE	A A		0.0 a	99.0 a	6.3 ab	7.5 b	99.0 a	0.0 a	99.0 a
7	FIERCE EZ EFFICAX	3.04	SC	6.0 oz/a 0.417 % v/v	PRE PRE	A A		2.5 a	99.0 a	8.8 a	11.3 a	99.0 a	2.5 a	99.0 a
8	VALOR EZ2 EFFICAX	4	SC	2.02 oz/a 0.208 % v/v	PRE PRE	A A		0.0 a	99.0 a	6.7 ab	6.7 bc	99.0 a	2.5 a	99.0 a
9	FIERCE EZ EFFICAX	3.04	SC	6.0 oz/a 0.208 % v/v	PRE PRE	A A		2.5 a	99.0 a	7.5 ab	7.5 b	99.0 a	0.0 a	99.0 a
LSD P=.10								4.27	.	2.81	3.48	.	2.98	.
Standard Deviation								3.52	0.00	2.32	2.87	0.00	2.46	0.00
CV								237.44	0.0	37.36	51.21	0.0	442.33	0.0
Grand Mean								1.48	88.00	6.20	5.60	88.00	0.56	88.00
Bartlett's X2^								15.417	.	7.823	12.492	.	36.516	.
P(Bartlett's X2)								0.052	.	0.451	0.131	.	0.00*	.

Means followed by same letter or symbol do not significantly differ (P=.10, LSD).  
 Mean comparisons performed only when AOV Treatment P(F) is significant at mean comparison OSL.  
 Missing data estimates are included in columns: Average=1,3,4,6  
 Could not calculate LSD (% mean diff) for columns 2,5,7,8 because error mean square = 0.  
 ^Calculated from residual.

# University of Georgia

EFFICAX WITH VALOR AND FIERCE IN SOYBEANS							
Trial ID: SB-05-21		Study Dir.: HUNT SANDERS					
Location: PONDER FARM		Investigator: Eric P. Prostko					
Weed Code						Amapa	
Crop Code						-----	
Part Rated						Control	
Rating Data Type						%	
Rating Unit						Jul-19-21	
Rating Date						62 DA-A	
Trt-Eval Interval						8	
Trt No.	Treatment Name	Form Conc	Form Type	Rate	Grow Stg	Appl Code	
1	NTC						0.0 b
2	VALOR EZ2	4	SC	2.02 oz/a	PRE	A	
3	FIERCE EZ	3.04	SC	6.0 oz/a	PRE	A	
4	VALOR EZ2 EFFICAX	4	SC	2.0 oz/a 0.833 % v/v	PRE PRE	A A	
5	FIERCE EZ EFFICAX	3.04	SC	6.0 oz/a 0.833 % v/v	PRE PRE	A A	
6	VALOR EZ2 EFFICAX	4	SC	2.02 oz/a 0.417 % v/v	PRE PRE	A A	
7	FIERCE EZ EFFICAX	3.04	SC	6.0 oz/a 0.417 % v/v	PRE PRE	A A	
8	VALOR EZ2 EFFICAX	4	SC	2.02 oz/a 0.208 % v/v	PRE PRE	A A	
9	FIERCE EZ EFFICAX	3.04	SC	6.0 oz/a 0.208 % v/v	PRE PRE	A A	
LSD P=.10							
Standard Deviation						0.00	
CV						0.0	
Grand Mean						88.00	
Bartlett's X2^						.	
P(Bartlett's X2)						.	

Means followed by same letter or symbol do not significantly differ (P=.10, LSD).  
 Mean comparisons performed only when AOV Treatment P(F) is significant at mean comparison OSL.  
 Missing data estimates are included in columns: Average=1,3,4,6  
 Could not calculate LSD (% mean diff) for columns 2,5,7,8 because error mean square = 0.  
 ^Calculated from residual.

# University of Georgia

EFFICAX WITH VALOR AND FIERCE IN SOYBEANS					
Trial ID: SB-05-21		Study Dir.: HUNT SANDERS			
Location: PONDER FARM		Investigator: Eric P. Prostko			
Randomized Complete Block (RCB) AOV For ----- Glyma Stunt % Jun-1-21 14 DA-A (Data Column 1)					
Source	DF	Sum of Squares	Mean Square	F	Prob(F)
Total	33	432.098765			
Replicate	3	44.444444	14.814815	1.197	0.3339
Treatment	8	115.432099	14.429012	1.166	0.3620
Error	22	272.222222	12.373737		
Randomized Complete Block (RCB) AOV For Amapa ----- Control % Jun-1-21 14 DA-A (Data Column 2)					
Source	DF	Sum of Squares	Mean Square	F	Prob(F)
Total	35	34848.000000			
Replicate	3	0.000000	0.000000	0.000	1.0000
Treatment	8	34848.000000	4356.000000	0.000	1.0000
Error	24	0.000000	0.000000		
Randomized Complete Block (RCB) AOV For ----- Glyma Leaf Malformatio % Jun-1-21 14 DA-A (Data Column 3)					
Source	DF	Sum of Squares	Mean Square	F	Prob(F)
Total	33	353.395062			
Replicate	3	15.123457	5.041152	0.938	0.4390
Treatment	8	220.061728	27.507716	5.119	0.0011
Error	22	118.209877	5.373176		
Randomized Complete Block (RCB) AOV For ----- Glyma Stunt % Jun-9-21 22 DA-A (Data Column 4)					
Source	DF	Sum of Squares	Mean Square	F	Prob(F)
Total	33	589.737654			
Replicate	3	16.898148	5.632716	0.685	0.5710
Treatment	8	391.820988	48.977623	5.952	0.0004
Error	22	181.018519	8.228114		
Randomized Complete Block (RCB) AOV For Amapa ----- Control % Jun-9-21 22 DA-A (Data Column 5)					
Source	DF	Sum of Squares	Mean Square	F	Prob(F)
Total	35	34848.000000			
Replicate	3	0.000000	0.000000	0.000	1.0000
Treatment	8	34848.000000	4356.000000	0.000	1.0000
Error	24	0.000000	0.000000		
Randomized Complete Block (RCB) AOV For ----- Glyma Stunt % Jun-23-21 36 DA-A (Data Column 6)					
Source	DF	Sum of Squares	Mean Square	F	Prob(F)
Total	34	188.888889			
Replicate	3	11.111111	3.703704	0.613	0.6133
Treatment	8	38.888889	4.861111	0.805	0.6048
Error	23	138.888889	6.038647		
Randomized Complete Block (RCB) AOV For Amapa ----- Control % Jun-23-21 36 DA-A (Data Column 7)					
Source	DF	Sum of Squares	Mean Square	F	Prob(F)
Total	35	34848.000000			
Replicate	3	0.000000	0.000000	0.000	1.0000
Treatment	8	34848.000000	4356.000000	0.000	1.0000
Error	24	0.000000	0.000000		
Randomized Complete Block (RCB) AOV For Amapa ----- Control % Jul-19-21 62 DA-A (Data Column 8)					
Source	DF	Sum of Squares	Mean Square	F	Prob(F)
Total	35	34848.000000			
Replicate	3	0.000000	0.000000	0.000	1.0000
Treatment	8	34848.000000	4356.000000	0.000	1.0000
Error	24	0.000000	0.000000		
<u>Part Rated</u> Leaf = LEAF / FOLIAGE <u>Rating Unit</u> % = PERCENT					

# University of Georgia

EFFICAX WITH VALOR AND FIERCE IN SOYBEANS

Trial ID: SB-05-21      Study Dir.: HUNT SANDERS  
 Location: PONDER FARM      Investigator: Eric P. Prostko

Weed Code	Crop Code	Part Rated	Rating Data Type	Rating Unit	Rating Date	Trt-Eval Interval	----- Glyma	Amapa -----	----- Glyma Leaf, -	----- Glyma	Amapa -----	----- Glyma
							Stunt % Jun-1-21 14 DA-A	Control % Jun-1-21 14 DA-A	Malformatio % Jun-1-21 14 DA-A	Stunt % Jun-9-21 22 DA-A	Control % Jun-9-21 22 DA-A	Stunt % Jun-23-21 36 DA-A
Trt	Treatment	Form	Form	Rate	Grow	Appl	1	2	3	4	5	6
No.	Name	Conc	Type	Rate	Unit	Stg	Code	Plot				
1	NTC						101	0.0	0.0	0.0	0.0	0.0
							207	0.0	0.0	0.0	0.0	0.0
							304	0.0	0.0	0.0	0.0	0.0
							401	0.0	0.0	0.0	0.0	0.0
							Mean =	0.0	0.0	0.0	0.0	0.0
2	VALOR EZ2	4	SC	2.02 oz/a	PRE	A	102	0.0	99.0	5.0	0.0	99.0
							205	0.0	99.0	5.0	5.0	99.0
							301	0.0	99.0	5.0	0.0	99.0
							402	0.0	99.0	10.0	0.0	99.0
							Mean =	0.0	99.0	6.3	1.3	99.0
3	FIERCE EZ	3.04	SC	6.0 oz/a	PRE	A	103	10.0	99.0	5.0	5.0	99.0
							209	0.0	99.0	10.0	5.0	99.0
							308	0.0	99.0	5.0	5.0	99.0
							409	.	99.0	.	.	99.0
							Mean =	3.3	99.0	6.7	5.0	99.0
4	VALOR EZ2	4	SC	2.0 oz/a	PRE	A	104	0.0	99.0	5.0	5.0	99.0
	EFFICAX			0.833 % v/v	PRE	A	201	0.0	99.0	5.0	5.0	99.0
							307	0.0	99.0	5.0	0.0	99.0
							404	0.0	99.0	5.0	5.0	99.0
							Mean =	0.0	99.0	5.0	3.8	99.0
5	FIERCE EZ	3.04	SC	6.0 oz/a	PRE	A	105	0.0	99.0	5.0	5.0	99.0
	EFFICAX			0.833 % v/v	PRE	A	206	10.0	99.0	10.0	10.0	99.0
							302	10.0	99.0	10.0	10.0	99.0
							403	0.0	99.0	10.0	5.0	99.0
							Mean =	5.0	99.0	8.8	7.5	99.0
6	VALOR EZ2	4	SC	2.02 oz/a	PRE	A	106	0.0	99.0	5.0	5.0	99.0
	EFFICAX			0.417 % v/v	PRE	A	202	0.0	99.0	10.0	5.0	99.0
							303	0.0	99.0	5.0	10.0	99.0
							405	0.0	99.0	5.0	10.0	99.0
							Mean =	0.0	99.0	6.3	7.5	99.0
7	FIERCE EZ	3.04	SC	6.0 oz/a	PRE	A	107	0.0	99.0	10.0	10.0	99.0
	EFFICAX			0.417 % v/v	PRE	A	203	10.0	99.0	10.0	10.0	99.0
							305	0.0	99.0	10.0	10.0	99.0
							408	0.0	99.0	5.0	15.0	99.0
							Mean =	2.5	99.0	8.8	11.3	99.0
8	VALOR EZ2	4	SC	2.02 oz/a	PRE	A	108	0.0	99.0	5.0	10.0	99.0
	EFFICAX			0.208 % v/v	PRE	A	204	0.0	99.0	5.0	0.0	99.0
							306	.	99.0	.	.	99.0
							407	0.0	99.0	10.0	10.0	99.0
							Mean =	0.0	99.0	6.7	6.7	99.0
9	FIERCE EZ	3.04	SC	6.0 oz/a	PRE	A	109	0.0	99.0	10.0	5.0	99.0
	EFFICAX			0.208 % v/v	PRE	A	208	10.0	99.0	10.0	5.0	99.0
							309	0.0	99.0	5.0	10.0	99.0
							406	0.0	99.0	5.0	10.0	99.0
							Mean =	2.5	99.0	7.5	7.5	99.0



# University of Georgia

EFFICAX WITH VALOR AND FIERCE IN SOYBEANS

Trial ID: SB-05-21      Study Dir.: HUNT SANDERS  
 Location: PONDER FARM      Investigator: Eric P. Prostko

							Amapa -----	Amapa -----
							Control %	Control %
							Jun-23-21 36 DA-A	Jul-19-21 62 DA-A
Trt No.	Treatment Name	Form Conc	Form Type	Rate Unit	Grow Stg	Appl Code Plot	7	8
1	NTC					101	0.0	0.0
						207	0.0	0.0
						304	0.0	0.0
						401	0.0	0.0
						Mean =	0.0	0.0
2	VALOR EZ2	4 SC		2.02 oz/a	PRE A	102	99.0	99.0
						205	99.0	99.0
						301	99.0	99.0
						402	99.0	99.0
						Mean =	99.0	99.0
3	FIERCE EZ	3.04 SC		6.0 oz/a	PRE A	103	99.0	99.0
						209	99.0	99.0
						308	99.0	99.0
						409	99.0	99.0
						Mean =	99.0	99.0
4	VALOR EZ2 EFFICAX	4 SC		2.0 oz/a 0.833 % v/v	PRE A PRE A	104	99.0	99.0
						201	99.0	99.0
						307	99.0	99.0
						404	99.0	99.0
						Mean =	99.0	99.0
5	FIERCE EZ EFFICAX	3.04 SC		6.0 oz/a 0.833 % v/v	PRE A PRE A	105	99.0	99.0
						206	99.0	99.0
						302	99.0	99.0
						403	99.0	99.0
						Mean =	99.0	99.0
6	VALOR EZ2 EFFICAX	4 SC		2.02 oz/a 0.417 % v/v	PRE A PRE A	106	99.0	99.0
						202	99.0	99.0
						303	99.0	99.0
						405	99.0	99.0
						Mean =	99.0	99.0
7	FIERCE EZ EFFICAX	3.04 SC		6.0 oz/a 0.417 % v/v	PRE A PRE A	107	99.0	99.0
						203	99.0	99.0
						305	99.0	99.0
						408	99.0	99.0
						Mean =	99.0	99.0
8	VALOR EZ2 EFFICAX	4 SC		2.02 oz/a 0.208 % v/v	PRE A PRE A	108	99.0	99.0
						204	99.0	99.0
						306	99.0	99.0
						407	99.0	99.0
						Mean =	99.0	99.0
9	FIERCE EZ EFFICAX	3.04 SC		6.0 oz/a 0.208 % v/v	PRE A PRE A	109	99.0	99.0
						208	99.0	99.0
						309	99.0	99.0
						406	99.0	99.0
						Mean =	99.0	99.0

# University of Georgia

EFFICAX WITH VALOR AND FIERCE IN SOYBEANS

Trial ID: SB-05-21      Study Dir.: HUNT SANDERS  
Location: PONDER FARM      Investigator: Eric P. Prostko

Part Rated

Leaf = LEAF / FOLIAGE

Rating Unit

% = PERCENT