

University of Georgia

HIGH RATE OF ZIDUA POST ON FIELD CORN	
Trial ID: CN-09-25	Study Dir.: K.BROWN/J.SMITH/L.NEWSOME
Location: PONDER FARM Investigator: Eric P. Prostko	

Reps: 4 Plots: 6 by 25 feet
 Mix Size: 1.5 L

Trt No.	Treatment Name	Form Conc	Form Type	Rate	Grow Stg	Appl. Amount	Amt Product to Measure	Diluent	Rep 1	2	3	4
1	NTC							-	102	202	302	402
2	SURTAIN	1.628	SC	11.0 oz/a	POST 15	GPA	8.594 mL/mx	1491.4 mL	101	201	301	401
	AATREX		L	64.0 oz/a	POST 15	GAL/AC	50.0 mL/mx	1422.4 mL				
	ROUNDUP POWERMAX3	5.88	SL	30.0 oz/a	POST 15	GAL/AC	23.44 mL/mx					
	ZIDUA	4.17	SC	5.36 oz/a	POST 15	GAL/AC	4.187 mL/mx					

Sort Order: Treatment

Trial Comments

SURTAIN = SAFLUFENACIL (0.626 LBS AI/GAL) + PYROXASULFONE (1.002 LBS AI/A)

11 OZ/A OF SURTAIN PROVIDES EQUIVALENT OF 0.086 LBS AI/A OF PYROXASULFONE (2.64 OZ/A OF ZIDUA 4.17SC)

HARVEST DATE: 08/27/25
 HARVEST MOISTURE: 15.12%
 YIELDS ADJUSTED TO 15.5%.

SUMMARY:

- 1) THE EQUIVALENT OF 8 OZ/A OF ZIDUA 4.17SC APPLIED POST IN FIELD CORN AT V5-V6 STAGE OF CORN RESULTED IN SLIGHT INCREASES IN CORN STUNTING AND LEAF NECROSIS.
- 2) CORN YIELD WITH THIS RATE OF ZIDUA WAS **288 BU/A** WHICH WAS THE HIGHEST AVERAGE YIELD IN THIS FIELD.

Study Director: K.BROWN/J.SMITH/L.NEWSOME **Title:** _____
Affiliation: _____
Postal Code: _____

Investigator: Eric P. Prostko **Title:** _____
Affiliation: _____
Postal Code: _____

TRIAL LOCATION

City: _____ **Trial Status:** E
State/Prov.: _____ **Trial Reliability:** _____
Postal Code: _____ **Initiation Date:** _____
Country: _____ **Planned Completion Date:** _____
E-Longitude of LL Corner °: _____ **N-Latitude of LL Corner °:** _____
Altitude of LL Corner: _____ **Angle y-axis to North °:** _____
Directions: _____

COOPERATOR/LANDOWNER

Cooperator: _____ **Country:** _____
Org: _____ **Phone No:** _____
Address 1: _____ **Fax No:** _____
Address 2: _____
City: _____
State/Prov: _____
Postal Code: _____

University of Georgia

HIGH RATE OF ZIDUA POST ON FIELD CORN

Trial ID: CN-09-25 Study Dir.: K.BROWN/J.SMITH/L.NEWSOME
 Location: PONDER FARM Investigator: Eric P. Prostko

Conducted Under GLP (Y/N): N Conducted Under GEP (Y/N): N
 Guidelines: _____ Guideline Description: _____

Objective:

Conclusions:

CROP AND WEED DESCRIPTION

Weed	Code	Common Name	Scientific Name
1.	AGRASS	TX	PAN/CRAB/GOOSE/CROW
2.	AMAPA	PA	LMER AMARANTH
3.	RAPRA	WI	LD RADISH
4.	MOLVE	CA	RPETWEED

Crop 1: ZEAMA FIELD CORN **Variety:** PIONEER 2042VYHR
Planting Date: Apr-3-25 **Planting Method:** MONOSEM
Rate: 31114 S/A **Depth:** 2 IN **Perennial Age:** _____
Row Spacing: 36 IN **Spacing Within Row:** _____ **Seed Bed:** _____
Soil Temperature: _____ **Soil Moisture:** OPTIMUM **Emergence Date:** _____

Plot Width, Unit: 6 FT **Plot Length, Unit:** 25 FT **Reps:** 4

Site Type: _____ **Tillage Type:** CONVENTIONAL **Study Design:** RACOBL

Trial Initiation Comments:

	Previous Crops	Previous Pesticides	Year
1.	PEANUT		2024

MAINTENANCE

Field Prep./Maintenance: 750 LBS/A 5-15-30:PREPLANT
 AXILO BMZ @ 2 LBS/A ON APRIL 17
 50-0-0 LBS/A N SIDEDRESS ON APRIL 22
 83-0-0-10(S) LBS/A ON APRIL 30, MAY 6, MAY 14

No.	Date	Maintenance Treatment Name	Form Conc	Form Unit	Form Type	Rate	Rate Unit
1.							

% Sand: 94 **% OM:** 0.61 **Texture:** SAND
% Silt: 4 **pH:** 6.0 **Soil Name:** TIFTON
% Clay: 2 **CEC:** 2.6 **Fert. Level:** GOOD

ADDITIONAL MEASURED ELEMENTS

Element	Quantity	Unit

MOISTURE CONDITIONS

	Date	Time	Amount	Unit	Type	Interval	Unit
1.	Apr-4-25		0.3	IN	SPRINKLER - LATERAL MOVE		
2.	Apr-7-25		4.9	IN	RAINFALL		
3.	Apr-11-25		0.1	IN	RAINFALL		
4.	Apr-15-25		0.2	IN	SPRINKLER - LATERAL MOVE		
5.	Apr-17-25		0.3	IN	SPRINKLER - LATERAL MOVE		
6.	Apr-27-25		0.80	IN	RAINFALL	8	HAT
7.	May-1-25		0.50	IN	SPRINKLER - LATERAL MOVE		

University of Georgia

HIGH RATE OF ZIDUA POST ON FIELD CORN

Trial ID: CN-09-25 Study Dir.: K.BROWN/J.SMITH/L.NEWSOME
 Location: PONDER FARM Investigator: Eric P. Prostko

	Date	Time	Amount	Unit	Type	Interval	Unit
8.	May-3-25		0.50	IN	SPRINKLER - LATERAL MOVE		
9.	May-6-25		0.50	IN	SPRINKLER - LATERAL MOVE		
10.	May-9-25		0.47	IN	RAINFALL		
11.	Jun-10-25		0.11	IN	RAINFALL		
12.	May-11-25		0.42	IN	RAINFALL		
13.	May-16-25		0.50	IN	SPRINKLER - LATERAL MOVE		
14.	May-18-25		0.15	IN	SPRINKLER - LATERAL MOVE		
15.	May-19-25		0.40	IN	SPRINKLER - LATERAL MOVE		
16.	May-21-25		0.50	IN	SPRINKLER - LATERAL MOVE		
17.	May-21-25		0.30	IN	RAINFALL		
18.	May-23-25		0.50	IN	SPRINKLER - LATERAL MOVE		
19.	May-26-25		0.50	IN	SPRINKLER - LATERAL MOVE		

Overall Moisture Conditions:

Closest Weather Station: _____ **Distance:** _____ **Unit:** _____

APPLICATION DESCRIPTION

	A
Application Date:	Apr-27-25
Time of Day:	6:45 AM
Application Method:	BROADCAST
Application Timing:	POST
Applic. Placement:	FOLIAGE
Air Temp., Unit:	65 F
% Relative Humidity:	95
Wind Velocity, Unit:	0 MPH
Dew Presence (Y/N):	Y
Water Hardness:	--
Soil Temp., Unit:	70 F
Soil Moisture:	DRY
% Cloud Cover:	5

CROP STAGE AT EACH APPLICATION

	A
Crop 1 Code, Stage:	ZEAMA,
Stage Scale:	V5-V6
Height, Unit:	9, IN

University of Georgia

HIGH RATE OF ZIDUA POST ON FIELD CORN

Trial ID: CN-09-25 Study Dir.: K.BROWN/J.SMITH/L.NEWSOME
 Location: PONDER FARM Investigator: Eric P. Prostko

WEED STAGE AT EACH APPLICATION

	A
Weed 1 Code, Stage:	AGRAS,
Stage Scale:	
Density, Unit:	1-3"
Weed 2 Code, Stage:	AMAPA,
Stage Scale:	
Density, Unit:	1-5"
Weed 3 Code, Stage:	RAPRA,
Stage Scale:	
Density, Unit:	1-4"
Weed 4 Code, Stage:	MOLVE,
Stage Scale:	
Density, Unit:	0.5"

APPLICATION EQUIPMENT

	A
Appl. Equipment:	BACKPACK
Operating Pressure:	38
Nozzle Type:	AIXR
Nozzle Size:	11002
Nozzle Spacing, Unit:	20 IN
Nozzles/Row:	
Band Width, Unit:	
Boom Length, Unit:	20 IN
Boom Height, Unit:	20 IN
Ground Speed, Unit:	3.5 MPH
Incorporation Equip.:	
Hours to Incorp.:	
Incorp. Depth, Unit:	
Carrier:	WATER
Spray Volume, Unit:	15 GPA
Spray pH:	
Propellant:	CO2
Tank Mix (Y/N):	

Trt No	Treatment Application Comment

University of Georgia

HIGH RATE OF ZIDUA POST ON FIELD CORN

Trial ID: CN-09-25 Study Dir.: K.BROWN/J.SMITH/L.NEWSOME
 Location: PONDER FARM Investigator: Eric P. Prostko

				---- Zeama Stunting %	----- Zeama Necrosis %	----- Amapa Control %	----- Rapra Control %	----- Agrass Control %	----- Zeama Stunting			
				May-1-25	May-1-25	May-1-25	May-1-25	May-1-25	May-7-25			
Trt-Eval Interval				4 DA-A	4 DA-A	4 DA-A	4 DA-A	4 DA-A	10 DA-A			
Trt No.	Treatment Name	Form Conc	Form Type	Rate	Grow Unit	Stg	1	2	3	4	5	6
1	NTC						0.0 -	0.0 na	0.0 b	0.0 na	0.0 na	0.0 b
2	SURTAİN	1.628 SC		11.0 oz/a	POST		3.8 -	5.0 na	98.0 a	85.0 na	65.0 na	3.8 a
	AATREX	4 L		64.0 oz/a	POST							
	ROUNDUP POWERMAX3	5.88 SL		30.0 oz/a	POST							
	ZIDUA	4.17 SC		5.36 oz/a	POST							
LSD P=.10				5.63	.	2.35	2.94
Standard Deviation				3.39	0.00	1.41	0.00	0.00	0.00	0.00	0.00	1.77
CV				180.53	0.0	2.89	0.0	0.0	0.0	0.0	0.0	94.28
Grand Mean				1.88	2.50	49.00	42.50	32.50	32.50	32.50	32.50	1.88
Bartlett's X2^				0.00	.	0.00	0.00
P(Bartlett's X2)				1.00	.	1.00	1.00
Rank X2			
P(Rank X2)			
Skewness^				0.0	.	0.0	0.0
P(Skewness)^				1.0	.	1.0	1.0
Kurtosis^				-1.481	.	0.0	0.0
P(Kurtosis)^				0.4249	.	1.0	1.0
Replicate F				1.000	NaN	1.000	NaN	NaN	NaN	NaN	NaN	1.000
Replicate Prob(F)				0.5000	NaN	0.5000	NaN	NaN	NaN	NaN	NaN	0.5000
Treatment F				2.455	NaN	9604.000	NaN	NaN	NaN	NaN	NaN	9.000
Treatment Prob(F)				0.2152	NaN	0.0001	NaN	NaN	NaN	NaN	NaN	0.0577

Means followed by same letter or symbol do not significantly differ (P=.10, LSD).
 Mean comparisons performed only when AOV Treatment P(F) is significant at mean comparison OSL.
 Could not calculate LSD (% mean diff) or mean separation letters for columns 2,4,5,7,8,9,10,11,14,15,16,17,19,20,21,22,23 because error variance is 0.
 Mean separation letters are 'na' (not applicable) when error variance is 0
 ^Calculated from residual.

University of Georgia

HIGH RATE OF ZIDUA POST ON FIELD CORN

Trial ID: CN-09-25 Study Dir.: K.BROWN/J.SMITH/L.NEWSOME
 Location: PONDER FARM Investigator: Eric P. Prostko

Weed Code		-----	Amapa	Rapra	Agrass	Molve	-----												
Crop Code		Zeama	-----	-----	-----	-----	Zeama												
Rating Data Type		Necrosis	Control	Control	Control	Control	Stunting												
Rating Unit		%	%	%	%	%	%												
Rating Date		May-7-25	May-7-25	May-7-25	May-7-25	May-7-25	May-13-25												
Trt-Eval Interval		10 DA-A	10 DA-A	10 DA-A	10 DA-A	10 DA-A	16 DA-A												
Trt No.	Treatment Name	Form Conc	Form Type	Rate	Grow Unit	Stg													
7	8	9	10	11	12														
1	NTC	0.0	na	0.0	na	0.0	na	0.0	na	0.0	b								
2	SURTAİN	1.628	SC	11.0	oz/a	POST		5.0	na	99.0	na	99.0	na	99.0	na	99.0	na	8.8	a
	AATREX	4	L	64.0	oz/a	POST													
	ROUNDUP POWERMAX3	5.88	SL	30.0	oz/a	POST													
	ZIDUA	4.17	SC	5.36	oz/a	POST													
LSD P=.10		5.63
Standard Deviation		0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	3.39
CV		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0	77.37
Grand Mean		2.50		49.50		49.50		49.50		49.50		49.50		49.50		49.50		49.50	4.38
Bartlett's X2^		0.00
P(Bartlett's X2)		1.00
Rank X2	
P(Rank X2)	
Skewness^		0.0
P(Skewness)^		1.0
Kurtosis^		-1.481
P(Kurtosis)^		0.4249
Replicate F		NaN		NaN		NaN		NaN		NaN		NaN		NaN		NaN		NaN	1.000
Replicate Prob(F)		NaN		NaN		NaN		NaN		NaN		NaN		NaN		NaN		NaN	0.5000
Treatment F		NaN		NaN		NaN		NaN		NaN		NaN		NaN		NaN		NaN	13.364
Treatment Prob(F)		NaN		NaN		NaN		NaN		NaN		NaN		NaN		NaN		NaN	0.0354

Means followed by same letter or symbol do not significantly differ (P=.10, LSD).
 Mean comparisons performed only when AOV Treatment P(F) is significant at mean comparison OSL.
 Could not calculate LSD (% mean diff) or mean separation letters for columns 2,4,5,7,8,9,10,11,14,15,16,17,19,20,21,22,23 because error variance is 0.
 Mean separation letters are 'na' (not applicable) when error variance is 0
 ^Calculated from residual.

University of Georgia

HIGH RATE OF ZIDUA POST ON FIELD CORN						
Trial ID: CN-09-25		Study Dir.: K.BROWN/J.SMITH/L.NEWSOME				
Location: PONDER FARM		Investigator: Eric P. Prostko				
Weed Code	-----	Amapa	Rapra	Agrass	Molve	-----
Crop Code	Zeama	-----	-----	-----	-----	Zeama
Rating Data Type	Necrosis	Control	Control	Control	Control	Stunting
Rating Unit	%	%	%	%	%	%
Rating Date	May-13-25	May-13-25	May-13-25	May-13-25	May-13-25	May-21-25
Trt-Eval Interval	16 DA-A	16 DA-A	16 DA-A	16 DA-A	16 DA-A	24 DA-A
Trt No.	Treatment Name	Form Conc	Form Type	Rate Rate	Grow Unit	Stg
13						
14						
15						
16						
17						
18						
1	NTC					0.0 b
2	SURTAIN	1.628 SC		11.0 oz/a	POST	3.8 a
	AATREX	4 L		64.0 oz/a	POST	
	ROUNDUP POWERMAX3	5.88 SL		30.0 oz/a	POST	
	ZIDUA	4.17 SC		5.36 oz/a	POST	
	LSD P=.10					2.94
	Standard Deviation					1.77
	CV					94.28
	Grand Mean					1.88
	Bartlett's X2^					0.00
	P(Bartlett's X2)					1.00
	Rank X2					.
	P(Rank X2)					.
	Skewness^					0.0
	P(Skewness)^					1.0
	Kurtosis^					0.0
	P(Kurtosis)^					1.0
	Replicate F					1.000
	Replicate Prob(F)					0.5000
	Treatment F					9.000
	Treatment Prob(F)					0.0577

Means followed by same letter or symbol do not significantly differ (P=.10, LSD).
 Mean comparisons performed only when AOV Treatment P(F) is significant at mean comparison OSL.
 Could not calculate LSD (% mean diff) or mean separation letters for columns 2,4,5,7,8,9,10,11,14,15,16,17,19,20,21,22,23 because error variance is 0.
 Mean separation letters are 'na' (not applicable) when error variance is 0
 ^Calculated from residual.

University of Georgia

HIGH RATE OF ZIDUA POST ON FIELD CORN						
Trial ID: CN-09-25		Study Dir.: K.BROWN/J.SMITH/L.NEWSOME				
Location: PONDER FARM		Investigator: Eric P. Prostko				
Weed Code	Amapa	Rapra	Agrass	Molve	Amapa	Total
Crop Code	-----	-----	-----	-----	-----	Weed
Rating Data Type	Control	Control	Control	Control	Control	Cover
Rating Unit	%	%	%	%	%	%
Rating Date	May-21-25	May-21-25	May-21-25	May-21-25	Aug-19-25	Aug-19-25
Trt-Eval Interval	24 DA-A	24 DA-A	24 DA-A	24 DA-A	114 DA-A	114 DA-A
Trt No.	Treatment Name	Form Conc	Form Type	Rate	Grow Unit	Stg
1	NTC					
2	SURTAIN	1.628 SC		11.0 oz/a	POST	
	AATREX	4 L		64.0 oz/a	POST	
	ROUNDUP POWERMAX3	5.88 SL		30.0 oz/a	POST	
	ZIDUA	4.17 SC		5.36 oz/a	POST	
LSD P=.10						23.04
Standard Deviation	0.00	0.00	0.00	0.00	0.00	13.84
CV	0.0	0.0	0.0	0.0	0.0	24.08
Grand Mean	49.50	49.50	49.50	49.50	49.50	57.50
Bartlett's X2^	0.00
P(Bartlett's X2)	1.00
Rank X2
P(Rank X2)
Skewness^	0.0
P(Skewness)^	1.0
Kurtosis^	-1.3352
P(Kurtosis)^	0.4699
Replicate F	NaN	NaN	NaN	NaN	NaN	0.391
Replicate Prob(F)	NaN	NaN	NaN	NaN	NaN	0.7694
Treatment F	NaN	NaN	NaN	NaN	NaN	26.087
Treatment Prob(F)	NaN	NaN	NaN	NaN	NaN	0.0145

Means followed by same letter or symbol do not significantly differ (P=.10, LSD).
 Mean comparisons performed only when AOV Treatment P(F) is significant at mean comparison OSL.
 Could not calculate LSD (% mean diff) or mean separation letters for columns 2,4,5,7,8,9,10,11,14,15,16,17,19,20,21,22,23 because error variance is 0.
 Mean separation letters are 'na' (not applicable) when error variance is 0
 ^Calculated from residual.

University of Georgia

HIGH RATE OF ZIDUA POST ON FIELD CORN

Trial ID: CN-09-25 Study Dir.: K.BROWN/J.SMITH/L.NEWSOME
 Location: PONDER FARM Investigator: Eric P. Prostko

				-----	-----
				ZEAMA	ZEAMA
				YIELD	YIELD
				LBS/PLOT	BU/A
				Aug-27-25	Aug-27-25
				122 DA-A	122 DA-A
Trt No.	Treatment Name	Form Conc	Form Type	Rate Unit	Grow Stg
25					26
1	NTC				47.5 b
2	SURTAIN	1.628 SC		11.0 oz/a	POST
	AATREX	4 L		64.0 oz/a	POST
	ROUNDUP POWERMAX3	5.88 SL		30.0 oz/a	POST
	ZIDUA	4.17 SC		5.36 oz/a	POST
	LSD P=.10			2.61	13.59
	Standard Deviation			1.57	8.17
	CV			3.05	3.05
	Grand Mean			51.38	267.61
	Bartlett's X2^			0.00	0.00
	P(Bartlett's X2)			1.00	1.00
	Rank X2			.	.
	P(Rank X2)			.	.
	Skewness^			0.0	0.0
	P(Skewness)^			1.0	1.0
	Kurtosis^			-1.5959	-1.5959
	P(Kurtosis)^			0.3916	0.3916
	Replicate F			1.678	1.678
	Replicate Prob(F)			0.3406	0.3406
	Treatment F			48.864	48.864
	Treatment Prob(F)			0.0060	0.0060

Means followed by same letter or symbol do not significantly differ (P=.10, LSD).
 Mean comparisons performed only when AOV Treatment P(F) is significant at mean comparison OSL.
 Could not calculate LSD (% mean diff) or mean separation letters for columns 2,4,5,7,8,9,10,11,14,15,16,17,19,20,21,22,23 because error variance is 0.
 Mean separation letters are 'na' (not applicable) when error variance is 0
 ^Calculated from residual.

University of Georgia

HIGH RATE OF ZIDUA POST ON FIELD CORN

Trial ID: CN-09-25 Study Dir.: K.BROWN/J.SMITH/L.NEWSOME
Location: PONDER FARM Investigator: Eric P. Prostko

Rating Unit

% = PERCENT

ARM Action Codes

TY1 = 5.20903466*[25]

University of Georgia

HIGH RATE OF ZIDUA POST ON FIELD CORN

Trial ID: CN-09-25 Study Dir.: K.BROWN/J.SMITH/L.NEWSOME
 Location: PONDER FARM Investigator: Eric P. Prostko

Weed Code						----	-----	Amapa	Rapra	Agrass	-----	
Crop Code						Zeama	Zeama	-----	-----	-----	Zeama	
Rating Data Type						Stunting	Necrosis	Control	Control	Control	Stunting	
Rating Unit						%	%	%	%	%		
Rating Date						May-1-25	May-1-25	May-1-25	May-1-25	May-1-25	May-7-25	
Trt-Eval Interval						4 DA-A	4 DA-A	4 DA-A	4 DA-A	4 DA-A	10 DA-A	
Trt No.	Treatment Name	Form Conc	Form Type	Rate Unit	Grow Stg Plot	1	2	3	4	5	6	
1	NTC					102	0.0	0.0	0.0	0.0	0.0	0.0
						202	0.0	0.0	0.0	0.0	0.0	0.0
						302	0.0	0.0	0.0	0.0	0.0	0.0
						402	0.0	0.0	0.0	0.0	0.0	0.0
						Mean =	0.0	0.0	0.0	0.0	0.0	0.0
2	SURTAIN	1.628	SC	11.0 oz/a	POST 101	0.0	5.0	99.0	85.0	65.0	5.0	
						AATREX	0.0	5.0	99.0	85.0	65.0	5.0
						ROUNDUP POWERMAX3	5.0	5.0	99.0	85.0	65.0	0.0
						ZIDUA	10.0	5.0	95.0	85.0	65.0	5.0
						Mean =	3.8	5.0	98.0	85.0	65.0	3.8

University of Georgia

HIGH RATE OF ZIDUA POST ON FIELD CORN

Trial ID: CN-09-25 Study Dir.: K.BROWN/J.SMITH/L.NEWSOME
 Location: PONDER FARM Investigator: Eric P. Prostko

				----- Zeama Necrosis	Amapa ----- Control %	Rapra ----- Control %	Agrass ----- Control %	Molve ----- Control %	----- Zeama Stunting %				
				May-7-25 10 DA-A	May-7-25 10 DA-A	May-7-25 10 DA-A	May-7-25 10 DA-A	May-7-25 10 DA-A	May-13-25 16 DA-A				
Trt	Treatment	Form	Form	Rate	Grow								
No.	Name	Conc	Type	Rate	Unit	Stg	Plot	7	8	9	10	11	12
1	NTC						102	0.0	0.0	0.0	0.0	0.0	0.0
							202	0.0	0.0	0.0	0.0	0.0	0.0
							302	0.0	0.0	0.0	0.0	0.0	0.0
							402	0.0	0.0	0.0	0.0	0.0	0.0
							Mean =	0.0	0.0	0.0	0.0	0.0	0.0
2	SURTAIN	1.628	SC	11.0	oz/a	POST	101	5.0	99.0	99.0	99.0	99.0	10.0
	AATREX	4	L	64.0	oz/a	POST	201	5.0	99.0	99.0	99.0	99.0	5.0
	ROUNDUP POWERMAX3	5.88	SL	30.0	oz/a	POST	301	5.0	99.0	99.0	99.0	99.0	5.0
	ZIDUA	4.17	SC	5.36	oz/a	POST	401	5.0	99.0	99.0	99.0	99.0	15.0
							Mean =	5.0	99.0	99.0	99.0	99.0	8.8

University of Georgia

HIGH RATE OF ZIDUA POST ON FIELD CORN

Trial ID: CN-09-25 Study Dir.: K.BROWN/J.SMITH/L.NEWSOME
 Location: PONDER FARM Investigator: Eric P. Prostko

				-----	Amapa	Rapra	Agrass	Molve				
				Zeama	-----	-----	-----	-----				
				Necrosis	Control	Control	Control	Control				
				%	%	%	%	%				
				May-13-25	May-13-25	May-13-25	May-13-25	May-13-25				
				16 DA-A	16 DA-A	16 DA-A	16 DA-A	16 DA-A				
Trt	Treatment	Form	Form	Rate	Grow							
No.	Name	Conc	Type	Rate	Unit	Stg	Plot	13	14	15	16	17
1	NTC						102	0.0	0.0	0.0	0.0	0.0
							202	0.0	0.0	0.0	0.0	0.0
							302	0.0	0.0	0.0	0.0	0.0
							402	0.0	0.0	0.0	0.0	0.0
							Mean =	0.0	0.0	0.0	0.0	0.0
2	SURTAIN	1.628	SC	11.0	oz/a	POST	101	5.0	99.0	99.0	99.0	99.0
	AATREX	4	L	64.0	oz/a	POST	201	5.0	99.0	99.0	99.0	99.0
	ROUNDUP POWERMAX3	5.88	SL	30.0	oz/a	POST	301	0.0	99.0	99.0	99.0	99.0
	ZIDUA	4.17	SC	5.36	oz/a	POST	401	5.0	99.0	99.0	99.0	99.0
							Mean =	3.8	99.0	99.0	99.0	99.0

University of Georgia

HIGH RATE OF ZIDUA POST ON FIELD CORN

Trial ID: CN-09-25 Study Dir.: K.BROWN/J.SMITH/L.NEWSOME
 Location: PONDER FARM Investigator: Eric P. Prostko

Weed Code						
Crop Code	-----	Amapa	Rapra	Agrass	Molve	
Rating Data Type	Zeama	-----	-----	-----	-----	
Rating Unit	Stunting	Control	Control	Control	Control	
Rating Date	%	%	%	%	%	
Trt-Eval Interval	May-21-25	May-21-25	May-21-25	May-21-25	May-21-25	
	24 DA-A	24 DA-A	24 DA-A	24 DA-A	24 DA-A	
Trt Treatment	Form Form	Rate Grow				
No. Name	Conc Type	Rate Unit Stg Plot	18	19	20	21 22
1 NTC		102	0.0	0.0	0.0	0.0 0.0
		202	0.0	0.0	0.0	0.0 0.0
		302	0.0	0.0	0.0	0.0 0.0
		402	0.0	0.0	0.0	0.0 0.0
		Mean =	0.0	0.0	0.0	0.0 0.0
2 SURTAIN	1.628 SC	11.0 oz/a POST 101	10.0	99.0	99.0	99.0 99.0
AATREX	4 L	64.0 oz/a POST 201	10.0	99.0	99.0	99.0 99.0
ROUNDUP POWERMAX3	5.88 SL	30.0 oz/a POST 301	10.0	99.0	99.0	99.0 99.0
ZIDUA	4.17 SC	5.36 oz/a POST 401	5.0	99.0	99.0	99.0 99.0
		Mean =	8.8	99.0	99.0	99.0 99.0

University of Georgia

HIGH RATE OF ZIDUA POST ON FIELD CORN

Trial ID: CN-09-25 Study Dir.: K.BROWN/J.SMITH/L.NEWSOME
 Location: PONDER FARM Investigator: Eric P. Prostko

						Amapa ----- Control %	Total Weed Cover %	----- ZEAMA YIELD LBS/PLOT	----- ZEAMA YIELD BU/A	
						Aug-19-25 114 DA-A	Aug-19-25 114 DA-A	Aug-27-25 122 DA-A	Aug-27-25 122 DA-A	
Trt	Treatment	Form	Form	Rate	Grow					
No.	Name	Conc	Type	Rate	Unit Stg	Plot	23	24	25	26
1	NTC					102	0.0	85.0	48.0	250.0
						202	0.0	75.0	49.0	255.2
						302	0.0	85.0	46.0	239.6
						402	0.0	85.0	47.0	244.8
						Mean =	0.0	82.5	47.5	247.4
2	SURTAİN	1.628	SC	11.0	oz/a	POST 101	99.0	40.0	57.0	296.9
	AATREX	4	L	64.0	oz/a	POST 201	99.0	50.0	56.0	291.7
	ROUNDUP POWERMAX3	5.88	SL	30.0	oz/a	POST 301	99.0	15.0	56.0	291.7
	ZIDUA	4.17	SC	5.36	oz/a	POST 401	99.0	25.0	52.0	270.9
						Mean =	99.0	32.5	55.3	287.8

University of Georgia

HIGH RATE OF ZIDUA POST ON FIELD CORN

Trial ID: CN-09-25 Study Dir.: K.BROWN/J.SMITH/L.NEWSOME
Location: PONDER FARM Investigator: Eric P. Prostko

Rating Unit

% = PERCENT

ARM Action Codes

TY1 = 5.20903466*[25]