

## ***Commelina benghalensis* Bibliography – Updated 26 January 2006**

- Ahanchede, A. 2000. Weed competition in cotton crop: effect of hoe-weeding on biomass and yield. *Tropicultura* 18:148-151.
- Ahanchede, A., and J. Gasquez. 1993. Variation géographique de *Commelina benghalensis* L. au Bénin. *Tropicultura* 13:15-18.
- Babu, V.R., B. Adinarayan, and K.R. Rao. 1991. A comparative study of changes in chlorophyll and carotenoid contents in 2,4-D treated crop and weed species. *Comparative Physiology and Ecology* 16:76-80.
- Baquar, S.R., and V.A. Saeed. 1977. Aneusomaty in *Commelina* spp. from southern West Pakistan. *Kromosomo* 2:163-169.
- Begam, H.H., and M.A. Choudhuri. 1993. Studies on senescence of two submerged aquatics angiosperms *Hydrilla verticillata* (L.f) Royle and *Ottelia alismoides* (L.) Pers and a terrestrial angiosperm *Commelina benghalensis* L. in light and darkness. *Indian J. Plant Phys.* 36:207-211.
- Brecke, B.J., D.O. Stephenson, IV, and K. Hutto. 2005. Impact of tillage and herbicide on tropical spiderwort. *Proc. Tropical Spiderwort Symposium*, Tifton, GA 29 Nov. 2005:14.
- Budd, G.D., P.E.L. Thomas, and J.C.S. Allison. 1979. Vegetative regeneration, depth of germination and seed dormancy in *Commelina benghalensis* L. *Rhodesian J. Agric. Res.* 17:151-153.
- Burns, J.H. 2004. A comparison of invasive and non-invasive dayflowers (Commelinaceae) across experimental nutrient and water gradients. *Diversity and Distributions* 10:387-397.
- Burns, J.H., A.A. Winn, S.L. Halpern, and T.E. Miller. 2005. The effect of environment on invasibility in the Commelinaceae. *Proc. Tropical Spiderwort Symposium*, Tifton, GA 29 Nov. 2005:16.
- Burton, M.G. 2005a. Demography of *Commelina benghalensis* in the Southern USA. *Proc. Tropical Spiderwort Symposium*, Tifton, GA 29 Nov. 2005.
- Burton, M.G. 2005b. Demography of *Commelina benghalensis* in the Southern US. *Proc. Tropical Spiderwort Symposium*, Tifton, GA 29 Nov. 2005:11.
- Burton, M.G., and A.C. York. 2004. Tropical spiderwort in North Carolina: a case for containment or eradication? *Proc. South. Weed Sci. Soc.* 57:230.
- Burton, M.G., S. Sermons, and T.W. Rufty. 2003a. Temperature optima for growth of tropical spiderwort. *Proc. South. Weed Sci. Soc.* 56:345-346.
- Burton, M.G., J.F. Spears, and A.C. York. 2003b. Efficacy of methyl bromide in eliminating the soil seedbank of tropical spiderwort and sicklepod. *Proc. South. Weed Sci. Soc.* 56:343-344.
- Burton, M.G., A.C. York, J.F. Spears, and T.W. Rufty. 2003c. Tropical spiderwort colonizes North Carolina: ecology and containment of a noxious weed. *Proc. South. Weed Sci. Soc.* 56:183.
- Burton, M.G., T.M. Webster, E.P. Prostko, A.S. Culpepper, A.C. York, and S. Sermons. 2003d. Rapid increase of tropical spiderwort (*Commelina benghalensis* L.) in herbicide-resistant crops of southeastern USA agroecosystems. *Abst. Ecol. Soc. America* 88:51-52.

- Carmona, R. 1995. Seed bank in the soil and the establishment of weeds in agro-ecosystems. *Planta Daninha* 13:3-9.
- Castro, C., A.M. Brighenti, and A. Oliveira Junior. 2002. Tank-mix of boron and herbicides on conventional sunflower sowing. *Planta Daninha* 20:83-91.
- Chivinge, O.A., and M. Kawisi. 1989. The effect of node numbers on the regeneration of wandering jew (*Commelina benghalensis* L.). *Zimbabwe Journal of Agricultural Research* 27:131-138.
- Chivinge, O.A., and M. Kawisi. 1990. Effects of intra- and inter-specific competition on the growth and development of wandering jew (*Commelina benghalensis* L.) and groundnuts (*Arachis hypogaea* L.). *Zimbabwe Journal of Agricultural Research* 28:75-82.
- Correia, N.M., J.C. Durigan, and U.P. Klink. 2005. Influence of type and amount of straw cover on weed emergence. *Journal Of Environmental Science And Health Part B-Pesticides Food Contaminants And Agricultural Wastes* 40:171-175.
- Culpepper, A.S. 2005. Tropical spiderwort: winning the battle in Georgia cotton. *Proc. Tropical Spiderwort Symposium, Tifton, GA 29 Nov. 2005*:13.
- Culpepper, A.S., J.T. Flanders, and A.C. York. 2003. Tropical spiderwort (*Commelina benghalensis*): Georgia's most troublesome weed in Roundup-Ready cotton. *WSSA Abstracts* 43:41.
- Culpepper, A.S., J.T. Flanders, A.C. York, and T.M. Webster. 2004. Tropical spiderwort (*Commelina benghalensis*) control in glyphosate-resistant cotton. *Weed Technology* 18:432-436.
- da Silva, J.R.V., D. Martins, L.A. Cardoso, and C.A. Carbonari. 2005. Effects of hand weeding strip and nitrogen fertilizer on corn plants. *Journal of Environmental Science and Health Part B-Pesticides Food Contaminants and Agricultural Wastes* 40:129-135.
- Davis, R.F., T.B. Brenneman, and T.M. Webster. 2005. Kill tropical spiderwort and starve a nematode: tropical spiderwort as a host for plant-parasitic nematodes. *Proc. Tropical Spiderwort Symposium, Tifton, GA 29 Nov. 2005*:20-21.
- Desaeger, J., and M.R. Rao. 2000. Parasitic nematode populations in natural fallows and improved cover crops and their effects on subsequent crops in Kenya. *Field Crops Res.* 65:41-56.
- du Toit, A.E.J., and M.R. Le Court De Billot. 1991. Weed emergence patterns of some arable weeds under field conditions. *S. African J. Plant and Soil Sci.* 8:153-157.
- Duarte, A.P., and E.R. Deuber. 1999. Weedy survey in autumn corn crops in the state of Sao Paulo, Brazil. *Planta Daninha* 17:297-307.
- Duncan, W.H. 1967. *Commelina benghalensis* a species new to United States. *Brittonia* 19:282.
- Faden, R.B. 1992. Proposal to conserve *Commelina benghalensis* (Commelinaceae) with a conserved type under Art. 69.3. *Taxon* 41:341-342.
- Faden, R.B. 1993. The misconstrued and rare species of *Commelina* (Commelinaceae) in the eastern United States. *Ann. Missouri Bot. Gard.* 80:208-218.
- Faden, R.B. 2000. *Commelina*, p. 192-197, *In* N. R. Morin, ed. *Flora of North America*, Vol. 22. Oxford Univ. Press, New York.
- Faden, R.B. 2005. Natural variation in *Commelina benghalensis*. *Proc. Tropical Spiderwort Symposium, Tifton, GA 29 Nov. 2005*:15.

- Faden, R.B., and E. Hafliger. 1982. Commelinaceae., p. 100-111, *In* E. Hafliger, ed. Monocot Weeds, Vol. 3. Ciba-Geigy, Basel.
- Ferreira, M.I., C.F. Reinhardt, and M.I. Ferreira. 1999a. The role of temperature in the germination of subterranean and aerial seeds of *Commelina benghalensis* L. S. African J. Plant and Soil 16:165-168.
- Ferreira, M.I., C.F. Van Der Merwe, C.F. Reinhardt, and M.I. Ferreira. 1999b. Ultrastructural changes caused by post-emergence herbicides in leaves of bengal wandering jew (*Commelina benghalensis* L.). South African Journal of Plant and Soil 16:18-23.
- Flanders, J.T. 2005. Tropical spiderwort: perspectives from a confused county agent. Proc. Tropical Spiderwort Symposium, Tifton, GA 29 Nov. 2005:10.
- Foloni, L.L., V.A. Gangora, E.D. Vellini, P.J. Christoffoleti, J.F. Barela, and M. Nicolai. 2003. Glyphosate and carfentrazone-ethyl mixtures for the control of hard to kill weeds in zero-tillage systems in Brazil. *in* (ed.). Brighton Crop Protection Conference International Congress: Crop Science and Technology:1041-1046. Glasgow, Scotland. 10-12 November 2003.
- Gonzalez, C.B., and C.R.B. Haddad. 1995. Light and temperature effects on flowering and seed-germination of *Commelina benghalensis* L. Arquivos De Biologia E Tecnologia 38:651-659.
- Grey, T.L., P. Steptoe, and W.K. Vencill. 2005. Herbicide absorption and translocation in *Commelina benghalensis*. Proc. Tropical Spiderwort Symposium, Tifton, GA 29 Nov. 2005:23.
- Kaul, V., A.K. Koul, and M.C. Sharma. 2000. The underground flower. Current Science 78:39-44.
- Kaul, V., N. Sharma, and A.K. Koul. 2002. Reproductive effort and sex allocation strategy in *Commelina benghalensis* L., a common monsoon weed. Bot. J. Linnean Soc. 140:403-413.
- Kharkwal, G., P. Mehrotra, and Y.S. Pantgey. 2005. Comparative studies on species richness, diversity, and composition of oak forests in Nainital district, Uttaranchal. Current Science 89:668-672.
- Kim, S.Y. 1998. Growth and development of *Commelina benghalensis* L. from four seed types. Kor. J. Weed Sci. 18:42-47.
- Kim, S.Y., S.K. De Datta, and B.L. Mercado. 1990. The effect of chemical and heat treatments on germination of *Commelina benghalensis* L. aerial seeds. Weed Res. 30:109-116.
- Krings, A., M.G. Burton, and A.C. York. 2002. *Commelina benghalensis* (Comelinaceae) new to North Carolina and an updated key to Carolina congeners. Sida 20:419-422.
- Kumar, A., and A.N. Tewari. 2004. Crop-weed competition studies in summer sown blackgram (*Vigna mungo* L.). Indian Journal of Weed Science 36:76-78.
- Kumar, S., G.D. Bagchi, J. Singh, S.C. Singh, and S. Sharma. 1995. Correlation in plants between ability to grow on cattle dung and presence of biological activities. Current Research on Medicinal and Aromatic Plants 17:17-28.
- Kurchania, S.P., J.P. Tiwari, and N.R. Paradkar. 1991a. Weed-control in rice (*Oryza sativa*)-wheat (*Triticum aestivum*) cropping system. Indian Journal of Agricultural Sciences 61:720-725.

- Kurchania, S.P., J.P. Tiwari, and N.R. Paradkar. 1991b. Weed control in rice (*Oryza sativa*)-wheat (*Triticum aestivum*) cropping system. Indian Journal Of Agricultural Sciences 61:720-725.
- Lakshmanan, K.K. 1978. Studies on the development of *Commelina benghalensis*. III. cotyledon. Phytomorphology 28:253-261.
- Le Bourgeois, T., and J.L. Guillermin. 1995. Weed distribution and abundance in cotton rotation in northern Cameroon. Weed Res. 35:89-98.
- Maheshwari, P., and B. Singh. 1934. A preliminary note on the morphology of the aerial and underground flowers of *Commelina benghalensis*, Linn. Current Science 3:158-160.
- Maia, O.M.A., and C.A.L. Oliveira. 2004. Colonization capacity of *Brevipalpus phoenicis* (Geijskes) (Acari : Tenuipalpidae) on plants used as hedge, windbreak and on weeds. Neotropical Entomology 33:625-629.
- Marengo, R.A., and D.C. Lustosa. 2000. Soil solarization for weed control in carrot. Pesquisa Agropecuaria Brasileira 35:2025-2032.
- Matsuo, M., H. Michinaga, H. Terao, and E. Tsuzuki. 2004. Aerial seed germination and morphological characteristics of juvenile seedlings in *Commelina benghalensis* L. Weed Biology and Management 4:148-153.
- Mbwana, A.S.S., S.W. Waudu, and K.V. Seshu-Reddy. 1995. Host-range of the lesion nematode, *Pratylenchus goodeyi*, commonly found in highland bananas of East Africa. International Journal of Pest Management 41:46-49.
- Mishra, J.S., and V.M. Bhan. 1996. Chemical control of carrot grass (*Parthenium hysterophorus*) and associated weeds in soybean (*Glycine max*). Indian Journal of Agricultural Sciences 66:518-521.
- Narendra, D.V., and V.G. Rao. 1973. New leaf-spot disease of *Commelina*, *Commelina benghalensis* L (F- Commelinaceae). Current Science 42:180-180.
- Ngugi, R.K., J.N. Ndung'u, D.M. Nyariki, and N.K.R. Musimba. 2004. Seasonal botanical and chemical composition of sheep and goat diets on a common range in eastern Africa. African Journal of Range and Forage Science 21:11-19.
- Paulo, E.M., F.S. Kasai, and J.C. Cavichioli. 2001. Effects of weed competition periods on peanut: II. wet season crop. Bragantia 60:27-33.
- Price, A.J., S.A. Prior, G.B. Runion, E. van Santen, H.H. Rogers, D.H. Gjerstad, and H.A. Torbert. 2005. Effects of elevated atmospheric CO<sub>2</sub> on tropical spiderwort. Proc. Tropical Spiderwort Symposium, Tifton, GA 29 Nov. 2005:24.
- Prostko, E.P. 2005. After five years of on-farm testing, have we learned how to manage tropical spiderwort. Proc. Tropical Spiderwort Symposium, Tifton, GA 29 Nov. 2005:12.
- Prostko, E.P., A.S. Culpepper, T.M. Webster, and J.T. Flanders. 2005. Tropical spiderwort identification and control in Georgia field crops. Tifton, GA: University of Georgia Cooperative Extension Service Bulletin. Available at <http://pubs.caes.uga.edu/caespubs/pubs/PDF/c884.pdf>.
- Ramires, A.C., J. Costantin, O. Marchiori Junior, C.D. de Goes Maciel, R.S. de Oliveira Jr., and D.K.M. Apoloni. 1999. Influence of different post-emergence application times of chlorimuron-ethyl, fomesafen, and bentazon herbicides on the control of *Commelina benghalensis* L. Acta Scientiarum 21:467-472.

- Ranvaud, R., K.C. de Freitas, E.H. Bucher, H.S. Dias, V.C. Avanzo, and C.C. Alberts. 2001. Diet of eared doves (*Zenaida auriculata*, Aves, Columbidae) in a sugar-cane colony in South-eastern Brazil. *Brazilian Journal of Biology* 61:651-660.
- Rodrigues, B.N., R.A. Pitelli, and P.A. Bellingieri. 1995. Effects of soil liming on the initial growth and nutrient uptake by *Commelina benghalensis* L. plants. *Planta Daninha* 13:59-68.
- Sankhala, A., A.K. Sankha, B. Bhatnagar, and A. Singh. 2005. Nutrient composition of less familiar leaves consumed by the tribals of Udaipur region. *Journal of Food Science and Technology-Mysore* 42:446-448.
- Santos, I.C., F.A. Ferreira, G.V. Miranda, and L.D.T. Santos. 2001a. Germination of aerial and underground seeds of *Commelina benghalensis*. *Planta Daninha* 19:163-170.
- Santos, I.C., A.A. Silva, F.A. Ferreira, G.V. Miranda, and R.A.N. Pinheiro. 2001b. Efficiency of glyphosate in the control of *Commelina benghalensis* and *Commelina diffusa*. *Planta Daninha* 19:135-143.
- Scheldeman, X., B. Meylemans, and P. Van Damme. 1995. Weed distribution in relation to pH and soil texture in the dry and intermediate lowland zones of Sri Lanka. *Mededelingend-Faculteit Landbouwkundige en Toegepaste Biologische* 60:235-242.
- Schwerzel, P.J. 1983. Effects of clipping on the survival of some common weed species in Zimbabwe. *Zimbabwe Agric. J.* 80:37-39.
- Shiratsuchi, L.S., F.J.R. Antoniol, and S.R. Rocha. 2005. Weed seedbank evaluating method to generate spatial distribution maps. *Journal Of Environmental Science And Health Part B-Pesticides Food Contaminants And Agricultural Wastes* 40:191-194.
- Singh, S.P., U.R. Pal, and K. Luka. 1989. Allelopathic effect of three serious weeds of Nigerian savanna on germination and seedling vigour of soybean and maize. *Zeitschrift fur Acker- und Pflanzenbau* 162:236-240.
- Spader, V., and R.A. Vidal. 2000. Response curve of *Commelina benghalensis* to EPSPS enzyme inhibitory herbicides. *Pesticidas Revista Tecnico Cientifica* 10:125-135.
- Tewari, A.N., and R.D. Singh. 1991. Crop-weed competition in upland direct seeded rainfed rice. *Indian Journal of Weed Science* 23:51-52.
- Thomas, R.D., and C.M. Allen. 1993. *Commelina benghalensis* L. (Commelinaceae), *Carex hyalina* Boott (Cyperaceae), and *Chloris subdolichostachya* C. Muell. (Poaceae): new to Louisiana. *Phytologia* 75:336-338.
- Unamma, R.P.A., and A.A. Melifonwu. 1988. Critical period for weed removal in seed yam production from minisetts. *Nigerian Journal of Weed Science* 1:11-15.
- Vencill, W.K. 2005. Effect of moisture stress on tropical spiderwort response to herbicides. *Proc. Tropical Spiderwort Symposium, Tifton, GA 29 Nov. 2005*:22.
- Voll, E., D. Karam, and D.L.P. Gazziero. 1997. Population dynamics of *Commelina benghalensis* L under soil and herbicide management practices. *Pesquisa Agropecuaria Brasileira* 32:571-578.
- Voll, E., A.M. Brighenti, D.L.P. Gazziero, and F.S. Adegas. 2002. Physiological germination aspects of *Commelina benghalensis* seeds. *Revista Brasileira de Sementes* 24:162-168.

- Voll, E., J.C. Franchini, R.T. Da Cruz, D.L.P. Gazziero, A.M. Brighenti, and F.S. Adegas. 2004. Chemical interactions of *Brachiaria plantaginea* with *Commelina benghalensis* and *Acanthospermum hispidum* in soybean cropping systems. *Journal of Chemical Ecology* 30:1467-1475.
- Walker, S.R., and J.P. Evenson. 1985a. Biology of *Commelina benghalensis* L. in south-eastern Queensland. 2. Seed dormancy, germination and emergence. *Weed Res.* 25:245-250.
- Walker, S.R., and J.P. Evenson. 1985b. Biology of *Commelina benghalensis* L. in south-eastern Queensland. 1. Growth, development and seed production. *Weed Res.* 25:239-244.
- Webster, T.M. 2004. Tropical spiderwort (*Commelina benghalensis*): and you thought sicklepod was bad? *Proc. Weed Sci. Soc. N.C.* 22:<http://www.wssnc.ncsu.edu/2004/proceed.html> (Accessed 26 July 2004).
- Webster, T.M. 2005. The ecology of tropical spiderwort in agro-ecosystems of the Southeast US. *Proc. Tropical Spiderwort Symposium*, Tifton, GA 29 Nov. 2005:17-19.
- Webster, T.M., A.S. Culpepper, J.T. Flanders, and T.L. Grey. 2005a. Planting date affects critical tropical spiderwort (*Commelina benghalensis*)-free interval in cotton. *in* T. L. Grey (ed.). *Proc. Beltwide Cotton Conf., Cotton Weed Science Research Conf.*:2842-2843. New Orleans. 4 to 7 January 2005.
- Webster, T.M., M.G. Burton, A.S. Culpepper, A.C. York, and E.P. Prostko. 2005b. Tropical spiderwort (*Commelina benghalensis*): A tropical invader threatens agroecosystems of the southern United States. *Weed Technology* 19:501-508.
- Webster, T.M., A.S. Culpepper, T.L. Grey, J.T. Flanders, M.G. Burton, and A.C. York. 2004. Emergence patterns of tropical spiderwort (*Commelina benghalensis*) in cotton. *Proc. South. Weed Sci. Soc.* 57:228-229.